

### **REMARKS**

In the present Office Action, the Examiner has (a) determined that Claims 1-19 as originally filed are subject to a restriction requirement; and (b) required restriction to one of the following inventions -- Group I: Claims 1-6, drawn to a flush tank and spout, classified in class 4, subclass 420, Group II: Claims 7-14, drawn to a holding tank, classified in class 4, subclass 321, and Group III: Claims 15-19 drawn to a level indicator, classified in class 73, subclass 305.

Applicant hereby elects to prosecute the claims of Group I (Claims 1-6) in the above-identified case. Claims 7-19 have been cancelled. Applicant reserves the right to pursue the subject matter of Claims 7-19 through a divisional application.

Applicant notes that the opportunity has been taken to amend the preamble of Claims 1-6. Applicant has added new Claims 20-33. Each of the new claims is drawn to a flush tank and spout classified in class 4, subclass 420. Accordingly, the new claims should be properly examined with original Claims 1-6. Support for the new claims can be found throughout the application as filed. As such, no new matter is being added.

Applicant submits that a complete response has been provided to the Office Action and that the application is ready for substantive examination. The Examiner is encouraged to telephone the undersigned if he believes such contact will facilitate prosecution.

Respectfully submitted,

Dated: 12 MAY 2006

By: 

Stephen T. Olson, Reg. No. 36,626

HARNESS, DICKEY & PIERCE, P.L.C.  
P.O. Box 828  
Bloomfield Hills, Michigan 48303  
(248) 641-1600

STO/tmf